ELSEVIER

**Molecular Cell Research**

Vol. 1310, 1996

BBA Biochimica et Biophysica Acta

# Cumulative Contents

## *Regular section*

*Information for Contributors* vii

## *Rapid reports*

Polymorphonuclear leukocyte lysosomal proteases, cathepsins B and D affect the fibrinolytic system in human umbilical vein endothelial cells
*Y. Kimura and K. Yokoi-Hayashi (Japan)* 1

Lipopolysaccharide decreases oxygen consumption by Mono Mac 6 cells; an electron paramagnetic resonance oximetry study
*R.E. Glover, B. Mile, C.C. Rowlands and S.K. Jackson (UK)* 5

## *Regular papers*

IRS-I Expression on the luteinized rat ovary: IGF-I and cyclic AMP effects on IRS-I tyrosine phosphorylation
*F. Talavera, Z. Chen and K.M.J. Menon (USA)* 10

Effect of $K^+$-induced depolarization on carbachol-stimulated inositol tetrakisphosphate accumulation in rat cerebrocortical slices
*M.E. Myles and J.N. Fain (USA)* 19

Isolation of pepsin-resistant laminin fragments from human placenta: effect on epithelial cells cultured from the kidneys of patients with autosomal dominant polycystic kidney disease (ADPKD)
*M.J. Slade, I. Pócsi, R.B. Kirby, J.K. Jones, S.E. Ganz, S.A. Taylor and R.G. Price (United Kingdom)* 25

Serine isotopomer analysis by $^{13}$C-NMR defines glycine-serine interconversion in situ in the renal proximal tubule
*G.J. Cowin, D.A. Willgoss, J. Bartley and Z.H. Endre (Australia)* 32

Modulation of glycine-serine interconversion by TCA and glycolytic intermediates in normoxic and hypoxic proximal tubules
*G.J. Cowin, D.A. Willgoss and Z.H. Endre (Australia)* 41

Stimulation of prostaglandin $E_2$ synthesis by interleukin-1$\beta$ is amplified by interferons but inhibited by interleukin-4 in human amnion-derived WISH cells
*L. Harding, Z. Wang and H.-H. Tai (USA)* 48

Retrovirus budding may constitute a port of entry for drug carriers
*C. Ropert, Z. Mishal, Jr., J.M. Rodrigues, C. Malvy and P. Couvreur (France)* 53

Mastoparan elicits prostaglandin $E_2$ generation and inhibits inositol phosphate accumulation via different mechanisms in rabbit astrocytes
*N. Nakahata, K. Imata, T. Okawa, Y. Watanabe, H. Ishimoto, T. Ono, Y. Ohizumi and H. Nakanishi (Japan)* 60

Nuclear localization of a complex of fibroblast growth factor(FGF)-1 and an NH2-terminal fragment of FGF receptor isoforms R4 and R1$\alpha$ in human liver cells
*S. Feng, J. Xu, F. Wang, M. Kan and W.L. McKeehan (USA)* 67

$^{15}$N-NMR study of ammonium assimilation in *Agaricus bisporus*
*J.J.P. Baars, H.J.M. Op den Camp, C. Van der Drift, J.J.M. Joordens, S.S. Wijmenga, L.J.L.D. Van Griensven and G.D. Vogels (The Netherlands)* 74

Characterisation and antiproliferative activity of an $\alpha$-type murine interferon from embryonic fibroblasts
*D. Beare, M. Learmonth, V. Wells, A. Aitken and L. Mallucci (UK)* 81

Heparin-steroid conjugates lacking glucocorticoid or mineralocorticoid activities inhibit the proliferation of vascular endothelial cells
*E.J. Derbyshire, Y.-C. Yang, S. Li, G.A. Comin, J. Belloir and P.E. Thorpe (USA)* 86

The osteoblastic MC3T3-E1 cells synthesized C-terminal propeptide of type I collagen, which promoted cell-attachment of osteoblasts
*M. Mizuno, T. Kitafima, M. Tomita and Y. Kuboki (Japan)* 97

Effects of peroxovanadate and vanadate on insulin binding, degradation and sensitivity in rat adipocytes
*Z.-W. Yu, B.I. Posner, U. Smith and J.W. Eriksson (Sweden, Canada)* 103

In vivo processing of the precursor of the major exoglucanase by KEX2 endoprotease in the *Saccharomyces cerevisiae* secretory pathway
*R.D. Basco, R. Cueva, E. Andaluz and G. Larriba (Spain)* 110

Effects of $N^1$-guanyl-1,7-diaminoheptane, an inhibitor of deoxyhypusine synthase, on the growth of tumorigenic cell lines in culture
*X.-P. Shi, K.-C. Yin, J. Ahern, L.J. Davis, A.M. Stern and L. Waxman (USA)* 119

## *Subsection*

## *Short sequence-paper*

Molecular cloning and sequencing of a cDNA encoding a $\beta$-thyroid hormone receptor in muscovy duckling
*J. Lachuer, C. Legras, C. Ronfort, S. Barges, F. Cohen-Adad, L. Quivet, C. Duchamp, G. Verdier and H. Barré (France)* 127

## *Regular papers*

$\beta\gamma$-Transducin stimulates hydrolysis and synthesis of phosphatidylinositol 4,5-bisphosphate in bovine rod outer segment membranes
*I.V. Grigorjev, A.I. Grits, I.D. Artamonov, L.A. Baranova and I.D. Volotovski (Belarus, Russian Federation)* 131

Relationship between TGF$\alpha$-induced DNA synthesis and prostaglandin synthesis in human HaCaT keratinocytes
*B. Hanke, G. Fürstenberger and F. Marks (Germany)* 137

Membrane potential and cytosolic free calcium levels modulate acetylcholine-induced inositol phosphate production in insulin-secreting BTC3 cells
*J. Gromada and S. Dissing (Denmark)* 145

Protein kinase C inhibits the CAK-CDK2 cyclin-dependent kinase cascade and G1/S cell cycle progression in human diploid fibroblasts
*K. Hamada, N. Takuwa, W. Zhou, M. Kumada and Y. Takuwa (Japan)* 149

Involvement of protein kinase C in the modulation of 1$\alpha$,25-dihydroxy-vitamin $D_3$-induced $^{45}Ca^{2+}$ uptake in rat and chick cultured myoblasts
*G. Vazquez and A. Russo de Boland (Argentina)* 157

Regulation of heparin-binding EGF-like growth factor expression by phorbol ester in a human hepatoma-derived cell line
*N. Ito, S. Higashiyama, S. Kawata, S. Tamura, S. Kiso, H. Tsushima, T. Nakagawa, Y. Matsuzawa and N. Taniguchi (Japan)* 163

Desensitization and internalization of adenosine $A_1$ receptors in rat brain by in vivo treatment with R-PIA: involvement of coated vesicles
*A. Ruiz, J.M. Sanz, G. González-Calero, M. Fernández, A. Andrés, A. Cubero and M. Ros (Spain)* 168

## *Regular section*

## *Regular papers*

Tumor necrosis factor-$\alpha$ induces the 85-kDa cytosolic phospholipase $A_2$ gene expression in human bronchial epithelial cells
*T. Wu, T. Ikezono, C.W. Angus and J.H. Shelhamer (USA)* 175

Cell adhesion to substratum and activation of tyrosine kinases are essentially required for G1/S phase transition in BALB/c 3T3 fibroblasts
*T. Kuzumaki, A. Matsuda, K. Ito and K. Ishikawa (Japan)* 185

Synergistic and selective stimulation of gelatinase B production in macrophages by lipopolysaccharide, *trans*-retinoic acid and CGP 41251, a protein kinase C regulator
*M. Houde, P. Tremblay, S. Masure, G. Opdenakker, D. Oth and R. Mandeville (Canada, Belgium)* 193

Cell-specific regulation of the stably expressed serotonin 5-$HT_{1A}$ receptor and altered ganglioside synthesis
*J.K. Singh, Q. Yan, G. Dawson and P. Banerjee (USA)* 201

Suppression of $Ca^{2+}$ oscillations in glucagon-producing $\alpha_2$-cells by insulin/glucose and amino acids
*A. Berts, A. Ball, E. Gylfe and B. Hellman (Sweden)* 212

Hormonal modulation of c-*fos* expression in isolated hepatocytes. Effects of angiotensin II and phorbol myristate acetate on transcription and mRNA degradation
*C. González-Espinosa and J.A. García-Sáinz (Mexico)* 217

Analysis of the T-cell activation signaling pathway mediated by tyrosine kinases, protein kinase C, and Ras protein, which is modulated by intracellular cyclic AMP
*T. Ohtsuka, Y. Kaziro and T. Satoh (Japan)* 223

## *Subsection*

## *Review*

Apyrases (ATP diphosphohydrolases, EC 3.6.1.5): function and relationship to ATPases
*M. Komoszyński and A. Wojtczak (Poland)* 233

## Regular paper

Collisions and encounters in simulations of receptor/GTP-binding protein interactions via simple diffusion
*D. Stickle and R. Barber (USA)* 242

## Regular section

Hydrogen peroxide and superoxide modulate leukocyte adhesion molecule expression and leukocyte endothelial adhesion
*A. Fraticelli, C.V. Serrano Jr., B.S. Bochner, M.C. Capogrossi and J.L. Zweier (USA)* 251

Site of action of proteinases in the activation of steroidogenesis in rat adrenal gland
*P.G. Mele, L.A. Dada, C. Paz, C.B. Cymeryng, M.F.C. Maciel, M.I. Neuman, C.V. Finkielstein, C.F. Mendez and E.J. Podestá (Argentina)* 260

Astrocytes synthesize and secrete prostaglandin D synthetase in vitro
*S. Giacomelli, M.-G. Leone, J. Grima, B. Silvestrini and C.Y. Cheng (USA, Italy)* 269

Metal binding and ferritin immunoreactivity in a high molecular weight fraction from rat brain
*S. San-Marina and D.M.E. Nicholls (Canada)* 277

Recovery from acute challenge with noradrenaline, vasopressin and angiotensin II in isolated rat hepatocytes
*S.R. Aggarwal and T.N. Palmer (Australia)* 284

Effect of lipid peroxidation on transferrin-free iron uptake by rabbit reticulocytes
*Z.M. Qian, P.L. Tang and E.H. Morgan (Hong Kong, Australia)* 293

A point mutation within each of two ATP-binding motifs inactivates the functions of elongation factor 3
*H. Yang, K. Hamada, H. Terashima, M. Izuta, E. Yamaguchi-Sihta, O. Kondoh, H. Satoh, M. Miyazaki, M. Arisawa, C. Miyamoto and K. Kitada (Japan)* 303

Distribution and subcellular localization of a growth inhibitory factor in hamster liver and its intracellular partner(s)
*C. Hashimoto, M. Ayaki, K. Tanaka, R. Yamamoto, H. Fukuda, H. Funai, A. Wada and Y. Inui (Japan)* 309

Opposite regulation of IGF-I and IGF-I receptor mRNA and concomitant changes of GH receptor and IGF-II/M6P receptor mRNA in human IM-9 lymphoblasts
*Y. Yang, A. Hoeflich, O. Butenandt and W. Kiess (Germany, People's Republic of China)* 317

Glucagon induces $Ca^{2+}$-dependent increase of reduced pyridine nucleotides in mouse pancreatic $\beta$-cells
*L.-P. He and H. Kitasato (Japan)* 325

## Subsection

Neutralizing antibodies to nucleoside diphosphate kinase inhibit the enzyme in vitro and in vivo: evidence for two distinct mechanisms of activation of atrial currents by ATP$\gamma$S
*X.B. Yi, N.M. Sweitzer and A.S. Otero (USA)* 334

KN-62, a calcium/calmodulin-dependent protein kinase II inhibitor, inhibits high potassium-stimulated prolactin secretion and intracellular calcium increases in anterior pituitary cells
*Z.J. Cui, H. Hidaka and P.S. Dannies (USA, Japan)* 343

Testosterone inhibits the basal and gonadotropin-releasing hormone-stimulated synthesis and release of newly synthesized $\alpha$- and lutropin (LH) $\beta$-subunit but not release of stored LH in cultured rat pituitary cells
*A.B. Starzec, Y. Lerrant, A. Bérault and R. Counis (France, Tahiti)* 348

*Cumulative Contents, Vol. 1310* 355

*Author Index* 358